AMENDMENTS TO THE CLAIMS

This listing of the claims replaces all prior versions of the claims in the application.

Listing of claims

1. (Currently Amended) A method of determining a likelihood of a fetus carried by a pregnant mother having a chromosomal abnormality, using a first biological, parameter being which is suitable for screening said fetus for said chromosomal abnormality, the method comprising:

receiving first data from a first stage of pregnancy of said mother, said first data comprising data representing a first value of said first biological parameter and data representing a first value of a second biological parameter, wherein said second biological parameter is suitable for screening said fetus for said chromosomal abnorniality;

receiving second data from a second, later stage of said pregnancy, said second data comprising data representing a second value of said first biological parameter <u>and data</u> representing a second value of said second biological parameter;

determining a multiple of median value for each of said values in said first and second data by dividing each of said values in said first and second data by a corresponding predicted median value;

forming a feature vector y using said multiple of median values;

determining a probability of an unaffected pregnancy given feature vector y;

determining a probability of an affected pregnancy given feature vector y, and

determining likelihood ratio data from said first and second data by calculating a ratio of

said probability of an unaffected pregnancy to said probability of an affected pregnancy, said

likelihood ratio data representing the likelihood of said fetus having a chromosomal abnormality.

- 2. (Original) A method as claimed in claim 1 wherein said first biological parameter is a marker for said chromosomal abnormality at one of said first and second stages of pregnancy and has substantially no value as a marker during the other of said first and second stages of pregnancy.
- 3. (Original) A method as claimed in claim 1 wherein said first biological parameter has a logarithm multiple of median (log MoM) value closer than one standard deviation to zero.

- 4. (Currently Amended) A method as claimed in claim 1, wherein in a cohort of pregnancies having said abnormality said first biological parameter is selected such that a correlation coefficient of said first and second values of said parameter is greater than 0.3, preferably greater than 0.5, more preferably greater than 0.6, most preferably greater than 0.8.
- 5. (Previously Presented) A method as claimed in claim 1 wherein said first biological marker comprises one of total hCG, PAPP-A, Inhibin A, AFP, uE₃.
- 6. (Previously Presented) A method as claimed in claim 1 wherein said first biological marker is not free β -LCG.
- 7. (Cancelled).
- 8. (Currently Amended) A method as claimed in claim 7 1 wherein said second biological parameter is a marker for said chromosomal abnormality at one of said first and second stages of pregnancy and has substantially no value as a marker during the other of said first and second stages of pregnancy.
- 9. (Currently Amended) A method as claimed in claim 7 1 wherein in a cohort of pregnancies having said abnormality said second biological parameter is selected such that a correlation coefficient of said first and second values of said parameter is greater than 0.3, preferably greater than 0.5, more preferably greater than 0.6, most preferably greater than 0.8.
- 10. (Currently Amended) A method as claimed in claim 7 1 wherein said second biological marker comprises on one of total hCG, PAPP-A, Inhibin A, APP, uE₃.
- 11. (Currently Amended) A method as claimed in claim $7 \underline{1}$ wherein said second biological marker is not free β -LCG.
- 12. (Previously Presented) A method as claimed in claim 1 wherein said first data further comprises data obtained from an ultrasound scan performed on said mother.
- 13. (Cancelled).
- 14. (Currently Amended) A method as claimed in claim 13 1 further comprising adjusting said first and second data responsible to one or more covariates prior to determining said likelihood ratio.
- 15. (Currently Amended) A method as claimed in claim 13 1 further comprising adjusting said likelihood ratio by a prior probability factor dependent upon an age of said mother.

- 16. (Previously Presented) A method as claimed in claim 1 wherein said first stage of pregnancy comprises a first trimester of said pregnancy and said second stage of said pregnancy comprises a second trimester of said pregnancy.
- 17. (Previously Presented) A method as claimed in claim 1 wherein said first stage of pregnancy comprises a stage of said pregnancy from 8 to 13 weeks, and wherein said second stage of said pregnancy comprises a stage of said pregnancy from 14 to 22 weeks.
- 18. (Previously Presented) A method as claimed in claim 1 wherein said fetus is a human fetus.
- 19. (Previously Presented) A method as claimed in claim 1 wherein said chromosomal abnormality comprises Down's Syndrome.
- 20. (Currently Amended) A method of determining whether a pregnant woman is at an increased risk of having a fetus with Down's Syndrome, the method comprising the steps of:

measuring at least one <u>a first</u> screening marker level from one of a first and second stage of pregnancy by assaying a sample obtained from the pregnant woman at said first or second stage of pregnancy for at least one biochemical screening marker;

measuring a level of the same said at least one <u>first</u> screening marker at the other of said first and second stage of pregnancy by assaying a sample obtained from the pregnant woman at said other stage of pregnancy for said at least one biochemical screening marker;

measuring a second screening marker level from one of said first and second stage of pregnancy by assaying a sample obtained from the pregnant woman at said first or second stage of pregnancy for said a second biochemical screening marker;

measuring a level of said second screening marker at the other of said first and second stage of pregnancy by assaying a sample obtained from the pregnant woman at said other stage of pregnancy for said second biochemical screening marker; and

determining a quantitative estimate of the risk of Down's Syndrome using the measured screening marker levels from both the first and second stages of pregnancy by expressing each of said measured screening marker levels as a logarithm of a multiple median value by dividing each of said measured screening marker levels by a corresponding predicted median value to form a feature vector y; and

determining said quantitative estimate from a ratio of a probability of an unaffected pregnancy given feature vector y and a probability of an affected pregnancy in which said fetus has said abnormality given feature vector y.

- 21. (Cancelled)
- 22. (Previously Presented) A method as claimed in claim 20 wherein said at least one biochemical screening marker is a marker at one of said first and second stages of pregnancy but not at the other.
- 23. (Previously Presented) A method as claimed in claim 20 wherein said measured screening marker levels from said first and second stages of pregnancy are highly correlated with one another.
- 24. (Cancelled)
- 25. (Currently Amended) A method as claimed in claim 24 20 wherein said second biochemical screening marker is a marker at one of said first and second stages of pregnancy but not at the other.
- 26. (Currently Amended) A method as claimed in claim 24 20 wherein said measured second screening marker levels from said first and second stages of pregnancy are highly correlated with one another.
- 27. (Previously Presented) A method as claimed in claim 20 further comprising:
 measuring at least one ultrasound screening marker from an ultrasound scan taken at one
 of said first and second stages of pregnancy; and

wherein determining determines said Down's risk estimate further using said ultrasound screening marker.

28-31. (Cancelled)

32. (Currently Amended) A computer system for providing risk data representing a likelihood of a fetus carried by a pregnant mother having a chromosomal abnormality, <u>using</u> a first biological parameter being suitable for screening said fetus for said chromosomal abnormality, the computer system comprising:

a data store operable to store data to be processed; an instruction store storing processor implementable instructions; and a processor coupled to said data store and to said instruction store and configured to load and implement said stored instructions, said instructions comprising instructions for controlling the processor to:

input first data from a first stage of pregnancy of said mother, said first data comprising data representing a first value of said first biological parameter and data representing a first value of a second biological parameter, wherein said second biological parameter is suitable for screening said fetus for said chromosomal abnormality;

input second data from a second, later stage of said pregnancy, said second data comprising data representing a second value of said first biological parameter and data representing a second value of a second biological parameter;

determine said risk data from said fast and second data <u>by expressing each of said first</u> and second data as a logarithm of a multiple median value by dividing each of said first and second data by a corresponding predicted median value to form a feature vector y;

determining said likelihood ratio data from a ratio of a probability of an unaffected pregnancy given feature vector y and a probability of an affected pregnancy in which said fetus has said abnormality given feature vector y; and

output said determined risk data.

33-39. (Cancelled).

- 40. (New) A method as claimed in claim 1, wherein in a cohort of pregnancies having said abnormality said first biological parameter is selected such that a correlation coefficient of said first and second values of said parameter is greater than 0.8.
- 41. (New) A method as claimed in claim 1, wherein in a cohort of pregnancies having said abnormality said second biological parameter is selected such that a correlation coefficient of said first and second values of said parameter is greater than 0.8.